

L Number	Hits	Search Text	DB	Time stamp
-	2	heliorotogravure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 42
-	2	helio near3 rotogravure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15: 24
-	571	rotogravure and wear	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 31
-	98	rotogravure and wear near3 resistant\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 09: 29
-	51	rotogravure and wear near3 resistant\$4 near3 (layer\$4 surface\$4 substrate\$4 film)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15: 28
-	1	rotogravure and wear near3 resistant\$4 near3 (layer\$4 surface\$4 substrate\$4 film) and engrav\$4 near3 cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15: 28
-	20	rotogravure and wear near3 resistant\$4 near3 (layer\$4 surface\$4 substrate\$4 film) and engrav\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15: 36
-	9	(rotogravure and wear near3 resistant\$4 near3 (layer\$4 surface\$4 substrate\$4 film) and engrav\$4) and (synthetic and partic\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11: 03
-	126	rotogravure and cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15: 40
-	4	(rotogravure and cups) and wear near3 resistant\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 05
-	1	rotogravure and heliorotogravure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15: 51
-	10	rotogravure and (wear-resistant or wear near2 resistant\$3) near3 layer and composite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 36
-	0	rotogravure and (wear-resistant or wear near2 resistant\$3) near3 layer and composite and silica and metallic and cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15: 55
-	8	((("4471205") or ("4549067") or ("4549067") or ("4546232") or ("6741369"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 05
-	0	(rotogravure and (wear-resistant or wear near2 resistant\$3) near3 layer and composite) and engrav	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 36

-	3	(rotogravure and (wear-resistant or wear near2 resistant\$3) near3 layer and composite) and engrav\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 37
-	214	((101/150).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 38
-	1	((101/150).CCLS.) and wear near3 resistant\$4 near2 (layer surface film substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 39
-	15	((101/150).CCLS.) and wear	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 40
-	3	((101/150).CCLS.) and wear) and composite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16: 41
-	306	core same (wear-resistant or wear near2 resistant) near2 (layer film substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 49
-	10	(core same (wear-resistant or wear near2 resistant) near2 (layer film substrate)) and Vicker\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 46
-	1	((core same (wear-resistant or wear near2 resistant) near2 (layer film substrate)) and Vicker\$4) and cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 45
-	0	("200300500000").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 47
-	2	("200300500000").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 47
-	3251	rotogravure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 51
-	3	rotogravure and core same (wear-resistant or wear near2 resistant) near2 (layer film substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 53
-	0	((core same (wear-resistant or wear near2 resistant) near2 (layer film substrate)) and Vicker\$4) and cup\$4) and cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14: 52
-	109	engrav\$4 near3 cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 30
-	0	(engrav\$4 near3 cup\$4) and core same (wear-resistant or wear near2 resistant) near2 (layer film substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10: 44

-	1	(engrav\$4 near3 cup\$4) and (wear-resistant or wear near2 resistant) near2 (layer film substrate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 26
-	1	(engrav\$4 near3 cup\$4) and core same (wear-resistant or wear near2 resistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15: 07
-	1	((engrav\$4 near3 cup\$4) and core same (wear-resistant or wear near2 resistant)) and rotogravure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15: 07
-	110	engrav\$4 near3 cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 30
-	0	(engrav\$4 near3 cup\$4) and (Vickers near3 hard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 31
-	0	(engrav\$4 near3 cup\$4) and Vickers	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 31
-	573	rotogravure and wear	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 31
-	14	(rotogravure and wear) and (Vickers near3 hard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 41
-	0	(rotogravure and wear) and wear near3 (Vickers near3 hard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 54
-	1	(rotogravure and wear) and wear same (Vickers near3 hard\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 55
-	9927	Vickers near3 hard\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 55
-	22	((Vickers near3 hard\$4) and wear near3 resist\$4) and engrav\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 10: 56
-	1	"Re32244".PN.	USPAT	2004/07/27 15: 30
-	2251	(Vickers near3 hard\$4) and wear near3 resist\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 16: 00
-	71	((Vickers near3 hard\$4) and wear near3 resist\$4) and cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 15: 42
-	245	Vickers near3 hard\$4 and gravur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 15: 47

-	31	Vickers near3 hard\$4 and gravur\$4 and wear near3 resistan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 15: 52
-	74	Vickers near3 hard\$4 near7 "110"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 15: 55
-	6	(Vickers near3 hard\$4 near7 "110") and wear near3 resistan\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/27 15: 55
-	290	(Vickers near3 hard\$4) and wear near3 resist\$4 near3 layer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 27
-	290	(Vickers near3 hard\$4) and wear near3 resist\$4 near3 layer\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 28
-	1	((Vickers near3 hard\$4) and wear near3 resist\$4 near3 layer\$4) and galvanically	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 28
-	71	engrav\$4 near3 cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 34
-	2	("6741369").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 37
-	2	("4471205").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 37
-	2	("4393295").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 52
-	2	print\$4 and heliorotogravure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 53
-	2	heliorotogravure	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 56
-	2	(helio-rotograv\$4 or heliorotograv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 57
-	9	(helio-grav\$4 or heliorotograv\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 08: 57
-	14	rotogravure and wear near3 resistant\$4 and (synthetic and particulate\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10: 14

-	49596	rotogravure and wear near3 resistant\$4 nesr3 (synthetic and particulate\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10: 15
-	0	rotogravure and wear near3 resistant\$4 near3 (synthetic and particulate\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10: 16
-	1	wear near3 resistant\$4 near3 (synthetic and particulate\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10: 18
-	31	wear near3 resistant\$4 same (synthetic and particulate\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 10: 18
-	1	rotogravure and wear near3 resistant\$4 and etch\$4 near3 cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08: 01
-	4	wear near3 resistant\$4 and etch\$4 near3 cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08: 01
-	3	rotogravure and etch\$4 near3 cups	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 08: 01
-	12	rotogravure and wear near3 resistant\$4 and cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 09: 34
-	373	rotogravure and cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 09: 35
-	6	rotogravure and etch\$4 near3 cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 09: 39
-	41	gravure and etch\$4 near3 cup\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12: 58
-	1	(engrav\$4 near3 cup\$4) and core same (wear-resistant or wear near2 resistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10: 47
-	2	(engrav\$4 near3 cup\$4) and core and (wear-resistant or wear near2 resistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10: 48
-	3	(engrav\$4 near3 cup\$4) and core and wear	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10: 47
-	56	gravure and core and (wear-resistant or wear near2 resistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10: 51

-	23	rotogravure and core and (wear-resistant or wear near2 resistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10: 51
-	2	("5252360").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11: 05
-	2	("5778775").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11: 05
-	2	("4830527").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 12: 58